

# Blended Reality Characters

David Robert

Personal Robots Group  
MIT Media Laboratory

20 Ames Street, E15-468, Cambridge, MA, USA  
dr@media.mit.edu

Cynthia Breazeal

Personal Robots Group  
MIT Media Laboratory

20 Ames Street, E15-468, Cambridge, MA, USA  
cynthiab@media.mit.edu

## ABSTRACT

We present the idea and formative design of a blended reality character, a new class of character able to maintain visual and kinetic continuity between the fully physical and fully virtual. The interactive character's embodiment fluidly transitions from an animated character on-screen to a small, alphabet block-shaped mobile robot designed as a platform for informal learning through play. We present the design and results of our study with thirty-four children aged three and a half to seven conducted using non-reactive, unobtrusive observational methods and a validated evaluation instrument. Our claim is that young children have accepted the idea, persistence and continuity of blended reality characters. Furthermore, we found that children are more deeply engaged with blended reality characters and are more fully immersed in blended reality play as co-protagonists in the experience, in comparison to interactions with strictly screen-based representations. As substantiated through the use of quantitative and qualitative analysis of drawings and verbal utterances, the study shows that young children produce longer, detailed and more imaginative descriptions of their experiences following blended reality play. The desire to continue engaging in blended reality play as expressed by children's verbal requests to revisit and extend their play time with the character positively affirms the potential for the development of an informal learning platform with sustained appeal to young children.

## Categories and Subject Descriptors

H.5.m [Miscellaneous]: Human robot interaction; I.2.9 [Robotics]; I.3.6 [Computer Graphics]; K.3.1 [Computer Uses in Education].

## General Terms

Design, Experimentation, Human Factors, Theory.

## Keywords

Human-robot interaction; Blended reality character; interreality portal; robot hutch; informal learning.

## 1. INTRODUCTION

In this paper, we explore the creation of a developmentally appropriate, technologically-mediated experience for young children between the ages of three and a half and seven.

Permission to make digital or hard copies of all or part of this work for personal or classroom use is granted without fee provided that copies are not made or distributed for profit or commercial advantage and that copies bear this notice and the full citation on the first page. To copy otherwise, or republish, to post on servers or to redistribute to lists, requires prior specific permission and/or a fee.

HRI'12, March 5-8, 2012, Boston, Massachusetts, USA.

Copyright 2012 ACM 978-1-4503-1063-5/12/03...\$10.00.

To compliment the vivid and active pretend play, critical to children's development, this technological platform computationally models a *blended reality* context for a new type of play that takes place both on screen and in the real world as a fused and continuous space. This singular play context serves as the springboard for imaginative play activities, blurring the boundaries between screen-based and tangible, robotic media (see Figure 1).



Figure 1. Children play with Alfabot, a blended reality character as it migrates from the virtual to the physical

The Alfabot, a *blended reality character*, appears to seamlessly move on and off the screen, fluidly transitioning from a computer graphics character on screen, to a mobile robot in physical reality. The character's migration is enabled through a physical robot hutch enclosure, acting as a metaphorical portal between the real and the virtual. Passing through the interreality portal, the *blended reality character* maintains continuity and carries with it any changes that happen as a result of interactions with participants in the physical space.

This new context for play blends all of the affordances of the real, physical world in which children naturally develop, with the extensible space and potential of the digital world, in an intuitively accepted spatial arrangement as demonstrated in user studies.

In this paper, we will describe the concept and design of a blended reality character, and discuss how its unique interaction context supports young children's play in an appealing and fun environment. The design will reveal the system's foundation is rooted in a generalized approach to robotics as the design of "living characters," with specific extensions to the system to support children's participation in robotic gaming platforms for immersive learning and imaginative play.

This work attempts to understand what the impact of providing such an environment is on preschool-aged children's imaginative play. Using a system theories approach to frame the formal, experiential and cultural dimensions of blended reality, the scope of this paper confines itself to exploring the experiential domain of this framework, focusing on the playful interaction between young children and Alfabot, a blended-reality character (see Table 1).

**Table 1. Blended reality framework**

	<b>Formal</b>	<b>Experiential</b>	<b>Cultural</b>
<b>Objects</b>	physical blended virtual	<b>human participants robot participants</b>	medium
<b>Attributes</b>	object properties rules system properties rules	<b>human interaction human-robot interaction state of the system</b>	how, when, & why medium was created
<b>Relationships</b>	spatial behavioral (among objects)	<b>social emotional educational playful</b>	medium to culture
<b>Environment</b>	affects objects	<b>context of play</b>	culture

## 2. MOTIVATION

In our current, top-down media landscape, children often passively consume media produced by adult professionals. Early education specialist and founder of the influential Reggio Emilia approach to kindergarten, Loris Malaguzzi, claimed, “*each child has the right to be a protagonist.*” [3] There is an urgent need to protect youth and empower them to shape their own media environments. The United Nations Convention on the Rights of the Child (CRC) adopted in 1989 confirmed this sentiment echoed by educators and media experts around the globe [21]. We hope the system presented in this paper and its evaluation can offer a perspective on what user-generated content by young children transcending cultural and linguistic boundaries might look like.

Alarming recent findings published in a 2009 report by Nielsen indicate the amount of screen time by kids aged two to five is on average more than 32 hours a week [16]. That's over an entire day a week that children are sitting sedentary in front of the television. Meanwhile, over the past three decades, childhood obesity rates in the United States have tripled. In 2010, First Lady Michelle Obama launched the Let's Move campaign stating, “the physical and emotional health of an entire generation and the economic health and security of our nation is at stake” [12]. This work seeks to address some of these issues by creating a novel context for imaginative play that transcends the limitations of current media and empowers children with the tools to physically engage with media both on and off the screen.

Nearly  $\frac{3}{4}$  of American children play computer and video games [22]. Educational games offer a promising and untapped opportunity to leverage children's enthusiasm and help transform teaching and learning. Learning takes place best when children are engaged and enjoying themselves [21]. The literature on play is clear on the importance of creating opportunities for unstructured, imaginative play for preschool-aged children. Play is vital for the social, emotional, physical and cognitive development of young children [9]. If we want to create a future society of freethinking, tinkering problem-solvers we need to support our children's active creative exploration through playful, informal learning.

Inspired by the pioneering work of Joan Cooney, Gerald Lesser, Jim Henson and the Sesame Workshop folks who took charge and dedicated themselves to bringing their vision of accessible and fun education for all, it is our hope that this work plants the seed for an international effort to connect preschool aged children to each other through a playful, informal learning system built atop the foundations of a blended reality. The first step, and one of the core motivators of this work is to show that children have accepted blended reality as an extension of media, and are engaged with blended reality characters paving the way for fun and rewarding learning opportunities.

## 3. BACKGROUND AND RELATED WORK

### 3.1 Context for Robot Characters

The Personal Robots Group at the MIT Media Lab has long been driven by the vision to design sociable robots[1]. In an effort to create engaging robotic characters the group's researchers have drawn inspiration and critical insights from classic animation techniques [24]. If a robot were to be treated like a living character imbued with the illusion of life, and sustain an engaging interaction with a person, we playfully reasoned it would need a back-story, a context or world of its own. As one researcher jokingly asked: “Where do the robots *go* when the lights go out?” Based on the assumption that robotic characters, like animated characters, are perceived as more than the sum of their constituent parts, we imagined that providing them with their very own world might help people interacting with them move past constantly comparing robots to familiar life forms. Testing this fanciful hypothesis meant building a world for robots, a world that could blend into our own so that humans and robots could meet and play in a contextual middle-ground. We began by designing a home or robot hutch for our fluffy squash and stretch robot *Miso*. The idea of a robot hutch, however, dates back to 1950 when Grey Walter built a small home and recharging station for one of his famed analog Tortoise robots. He interchangeably referred to it as a kennel or robot hutch[7].

### 3.2 The Apple Yard

In [11], the authors advanced a definition of blended reality as the modeling of a “window” through which virtual objects enter the player's physical space. In the “Apple Yard” game prototype, a player used a wand to hit virtual apples metaphorically flying out of the screen. The unique features described included the ability for a player to interact directly with a virtual object in the physical world and the idea that the game's display screen is rendered as a “window” that connects the physical and virtual worlds. The potential benefits for health and fun were made apparent, due to the whole-body interaction capabilities of the single-player system designed.

Our own work also subscribes to a whole-body interaction design philosophy, but extends the definition of Blended Reality to include the user-perceived migration of phenomena from virtual to real, tangible objects able to move and interact with the user in physical space. Rather than designing experiences that orient the user towards the screen, our definition of blended reality also models a continuous environment, yet allows for further natural interaction that is not screen-dependent and is tactile and social. It incorporates the use of a metaphorical portal through which an embodied, appealing robotic character extends out of and onto the screen, providing a blended context for play that orients the multiple users towards each other and the mobile, robotic media in the physical interaction space.

### 3.3 Mixed reality robot gaming

With the goal of blurring the boundary between physical and virtual reality in order to provide a fused context for play, the authors of [19] implemented an interactive, mixed reality (MR) robot gaming platform. Procedurally animated, real-time computer graphics were synthesized live and displayed on a floor-mounted screen serving as a window into the robot character's 3D fantasy world as well as projected into the interaction space shared by both the human player and the robot. A virtual beach ball with the unique ability to transmediate between the floor space and the space in the screen seamlessly negotiated the interreality boundary and provided the main focus for a simple game of pong. Rather than control a character on-screen like in a traditional video game, the user's joystick tele-operated Miso, a tangible, physically embodied robot character as it played with its virtual companions. Special emphasis was placed on the importance of maintaining perceptual continuity by closely coupling the simulated world's physical laws to our material reality. This preliminary work set forth the technical underpinnings of modeling a singular, fused reality and documented the design considerations used in our current system. Whereas in [19] a virtual ball smoothly moved between both spaces, it was clear the next logical step would be to make a physical robot character appear to move across the physical/virtual divide.

## 4. BLENDED REALITY

Paul Milgram and Fumio Kishino defined Mixed Reality (MR) as "anywhere between the extrema of the *virtuality continuum*" [14]. In practice, the term refers to the merging of the real and virtual worlds to produce new environments where physical and digital objects co-exist and interact in real time.

We define blended reality as extending mixed reality, enabling the fluid movement of *blended reality characters* between the fully virtual and the fully physical.

This new, kinetically and visually continuous extension of media off the screen and into a mobile and interactive robotic character is made possible through the use of the *interreality portal*. Positioned at the boundary between the virtual and the physical, this enclosure or "robot hutch" opens and closes its servo-controlled doors concealing the robot character as it transits across the interreality boundary. This aids in maintaining the persistent illusion of life for the character as it continuously moves across what users perceive as a singular, fused context of play. Furthermore, it supports an immersive experience without requiring special equipment like head-mounted displays (typically used in mixed-reality robot scenarios) thereby encouraging whole body movement and collaborative face-to-face social play.

### 4.1 The physical (instrumented) space

The physical play space, measuring approximately 150 square feet provides ample room for up to three children to naturally and actively move through. The floor is cushioned by 42 white foam tiles creating a large floor screen. An aluminum truss system framing the space holds the projectors and Phasespace motion capture cameras used to track objects in the space [17]. Three large, sand-blasted acrylic panels make up the main rear-projection screen that measures 12 feet by 8 feet, providing an immersive display with an aspect ratio of 1.5:1. Three ultra short throw projectors mounted and aligned behind each one of the panels project a bright, stitched and cohesive image. Four short-throw projectors hung from the truss system and oriented

downwards towards the white floor mats project the ground image. In addition, custom made wooden platforms attached to the truss hold four audio speakers that distribute sound through the space.

### 4.2 The digital space

The digital world is rendered in real-time on two dedicated graphics computers. The graphics system renders a total of approximately 7 million pixels (7,077,888) at interactive rates on two computers serving nine screens. One of the computers is allocated to rendering a 2304 x 1024 image stream for the main back wall screen while the other renders four 1024 x 768 image streams properly stitched and projected on to the floor. The remaining two additional outputs are used by the system operator to monitor and make live programming adjustments to the environment. The system makes extensive use of Graphics Processing Unit (GPU) accelerated methods to synthesize the resulting experience.

### 4.3 Unified coordinate space

Blended reality remaps user interactions in the physical subspace (recorded by the Phasespace motion capture system) into a unified coordinate space, computationally modeled as a superstructure including both the digital and physical spaces. The unified, blended reality coordinate space plots the Z or depth axis so that the zero-crossing matches the threshold point between physical and digital reality. This method clearly delineates the spaces yet permits an animator to smoothly interpolate an animated movement which begins in the digital space and ends in the physical space (and vice-versa) as one continuous movement. The system automatically detects the cross-over point and uses it to dynamically control either the digital, computer graphics character or the physical robot. This unified spatial definition further enables the computation of a superphysics model that takes into account the velocity and trajectory of the blended reality character, matching it's speed (incoming or outgoing through the portal) across the boundary in order to maintain kinetic continuity [6]. Techniques from [19] are extensively used and extended.

### 4.4 Engineering integrated experience

Blended reality play requires the careful orchestration of robotic and audio-visual media in response to user and environmental input. The core system programming is done in real-time with the results directly accessible and visible at all times. This coding *mise-en-scène* enables the designer to receive immediate feedback by tinkering with the "always on" world.

The system's pipeline is engineered in *Touch Designer*, a highly capable, advanced visual programming environment integral to the execution of this work. Synthesized graphics, event choreography, signal processing flow and inter-application communication run in a constantly evolving and experimental Touch project file. Our code provides the necessary animation for the blended reality character and conditions incoming sensor data, mapping it to fit various internal and external uses. Additionally, the software project hosts a scripted, internal logic responsive to event-based, environmental triggers and human interaction with the robot and the space itself.

A private, local network with static IP addresses enables communication between application modules running on separate computers. To ensure the robot can roam unfettered, the system communicates with the robot over a bi-directional XBEE series2 radio transceiver.

The Open Sound Control protocol was chosen as the main inter-application “glue” due to its widespread acceptance as a standard for connecting the most popular digital content creation applications. Both sound software packages (Ableton LIVE, Max/MSP) and the system’s control hub, Touch Designer, communicate with each other over OSC.

## 5. BLENDED REALITY CHARACTER

A Blended reality character is designed to maintain visual and kinetic continuity between the fully virtual and the fully physical. The character is persistent in that it can only exist in one location (or subspace) at a time.

All appearance, movement, actions and attitudes must consistently build towards the character’s style or personality. This essence must be maintained across the blended reality context of interaction in order to trigger a social response. Research shows a character doesn’t have to look like a real person to give and receive real social responses [18]. Information about personality can come from anywhere. Inconsistencies in the presentation of characters, however, will diminish the purity of personality and thereby contribute to confusion and even dislike. The internal consistency of the character is doubly complicated by its dual representation in blended reality. A strong, consistent personality embodied in a simple form helps reduce complexity and delivers on expectations. By design, interactions with a blended reality character should be simple and causality must be clearly shown or it will fail. The approach used in designing this blended reality character took as its departure point the concept that children should be able to use what comes naturally as situated learners in the real world with real developmental needs and an insatiable appetite for play.

### 5.1 The Alphabot

Over three-hundred years ago, English philosopher John Locke in 1693 made one of the first references to alphabet nursery blocks “dice and playthings, with letters on them to teach children the alphabet *by playing*” (emphasis added) [13]. In the early 1700s, Friedrich Wilhelm August Froebel, the pioneer of the kindergarten movement introduced alphabet blocks and in 2003 the alphabet block was inducted into the National Toy Hall of Fame [2][15].

Alphabet blocks were one of the first educational toys for children. They are a mainstay of early learning and nearly every child has spent at least some time playing with alphabet blocks building critical social, creative, cognitive, motor and literacy skills. Traditionally, the tactile, tangible letter cut into the side of a block is a shape that can be traced by the finger of the child to form cross-sensory, multi-modal memories of the symbol.

Alphabot, an instance of a blended reality character, fashioned after a familiar wooden letter block was designed to be fun, safe and have a modular front face that could accept any symbol reacting to user input both on and off-screen.




Figure 2. (a)Alphabot and symbol tokens (b)virtual Alphabot

#### 5.1.1 Physical Alphabot

The physical embodiment of the Alphabot blended reality character is a 12 inch cubed robot designed to resemble an alphabet block. The wooden robot is proportionally smaller than the youngest, standing child and moves predictably and slowly thus portraying a non-threatening demeanor. It enables interactions of many different kinds in the physical environment and can motivate specific play actions through immediate feedback. The top face is as an open tray, left experimentally ambiguous as white space in the design, inviting children’s suggested use. Around the outside of the robot are four, small active-IR LEDs used in conjunction with the Phasespace motion capture system to localize the robot in space. The robot is tele-operated by an adult caretaker observing the child-robot interactions. The front velcro face of the robot, structurally supported by a thin sheet of clear acrylic, motivates specific action. Children can experiment with attaching and detaching wooden symbols with embedded RFID tags recognized by the robot and communicated wirelessly to the blended reality media system. Front and rear caster wheels supplement the robot’s two DC motors actuating two wheels in a differential drive configuration.

#### 5.1.2 Alphabot symbol token accessories

Alphabot’s collection of tangible symbol tokens are laser-cut out of the same, high-quality Baltic Birch wood that the robot’s body is made with. Serifa, a beautiful serified font created by prominent Swiss typeface designer Adrian Frutiger in 1967, was chosen for its highly legible quality. Formative research by the Children’s Television Workshop on *Ghostwriter*, pointed to the importance of resisting creative and unusual letter shapes and non-standard orientations when presenting text to children [5]. As Alphabot’s symbols are intended to exist both in the real world as tangible letterforms as well as animated on-screen, research-validated best practices are employed to ensure the system is effective at clearly conveying information to children [4].

The system’s symbols are a subset of numbers, shapes and letters including international characters. Following fabrication, each symbol is sanded down to smooth out the contours and coated with bright, non-toxic paint. Strips of adhesive velcro on the back provide an easy way to affix and detach the symbols from the robot’s front face. Care was taken to design the symbols in a way that makes holding them a pleasure. The intention is to provide children with an opportunity to explore, manipulate and reflect upon the use of artifacts and their possible effects in blended reality play. Two blank square symbols coated with chalkboard paint invite customizations. Children of all ages have enjoyed using chalk to draw faces (or anything at all) for Alphabot.

##### 5.1.2.1 RFID tags

To couple the symbols to the blended reality play experience, 16mm thumbnail-sized RFID button tags are inserted into the back face of each symbol. Each tag comes with a unique 32-bit ID code and is not reprogrammable. The carrier frequency of the tags is 125kHz which works well with the RFID reader (ID Innovations’ ID-20) internally mounted inside the robot behind its front face. The range for the RFID reader to correctly identify the button tags is approximately two inches. The reader can read tags through various materials including wood. In this case, the RFID reader correctly identifies tags through the acrylic and velcro layers on the robot’s front face.

Identified symbols immediately trigger the robot’s LED to light up Alphabot’s face. This lets the child know that the robot has

recognized their input. The identified symbol is also sent wirelessly to the main environment control computer triggering visible and audible responses throughout the environment.

### 5.1.3 Digital Alhabot

Alhabot's virtual representation is designed to be as consistent as possible with the physical robot version of the character.

#### 5.1.3.1 3D geometry

A simple geometric primitive box is all that's needed to represent Alhabot on the screen. This makes the geometry component of Alhabot's digital representation extremely lightweight and easy to render in real-time. In addition to leaving room for other important computations, keeping Alhabot geometrically simple creates opportunities for future migration of the blended reality character onto mobile platforms and other devices lacking 3D graphics prowess.

#### 5.1.3.2 Surface appearance

Digital Alhabot's surface appearance leverages a common environment mapping technique known as cube mapping optimized for real-time rendering [8]. To match the appearance of the robot in physical reality, photographs of the physical character wearing each symbol are used as the source for the cube maps. A straight-forward, stock OpenGL Shading Language (GLSL) shader running on the graphics processing unit (GPU) permits the character's surface appearance to adapt to changing lighting conditions in the world, further integrating digital Alhabot into the final blended reality rendered scene [20].

In order to maintain character visual continuity throughout the blended reality play context the digital version of Alhabot's face displays the current symbol placed on the physical robot. To accomplish this, the robot's embedded software program continuously polls the RFID reader and wirelessly transmits a symbol ID to the main graphics and environment control computer rendering digital Alhabot. Upon receipt, the value is used to switch between all of the possible cube maps depicting the various symbols in the set. There is no noticeable latency as this process happens at faster than interactive rates.

### 5.1.4 Animating Blended Reality characters

Alhabot is animated using traditional keyframed animation as input into a procedural blending subsystem coupled with real-time procedural motion synthesis and performance animation techniques. Animation clips created in industry-standard, 3D animation content creation applications (e.g. Autodesk's Maya) are exported as FBX files, a platform-independent 3D data interchange format, and fed into a real-time procedural animation blending engine. This method allows for the integration of hand-crafted 3D animation clip playback, sequencing and event-triggered blending.

### 5.1.5 Limits of current system

The inexpensive hall-effect sensor's sensors mounted to the back of the robot were unable to provide a stable quadrature signal in the current version of the robot. This restricted the possibility for making the robot autonomous. During the play test studies with children, however, the choice to have a research assistant tele-operate the robot helped acquiesce any parental concerns about the robot's safety around children. As the robot is currently being localized through the motion capture system, a location vector as well as an orientation (heading) quaternion are given, enabling future development of semi-autonomous behavior.

## 6. INTERACTION DESIGN GUIDELINES

As in traditional animation practice, everything starts with a story and a story often begins with a setting. We choose a setting of three hills on the outskirts of Alhabot city. The curved shape of the hills help enhance the dramatic effect of having Alhabot come out and play- moving from screen space representation to its mobile robot embodiment.

As part of the design philosophy we ensure that the core experience is designed for the appropriate number of child users. Leaving enough space for active, healthy children, we limit our interaction design and experience to a maximum of three children playing concurrently in the physical space.

Overall, safety is of utmost concern in all aspects of the work. The robot's motor speeds and thus movement are constrained and checked for safety at two different levels. Additionally, the physical interaction space is outfitted with soft, padded flooring.

Regarding visual style, when creating visual media for the system we ensure all contributions remain in cannon with the overall aesthetic design. By foregoing the use of a photorealistic style we opted for a naïf, painterly world with plenty of white space for both the children's imaginations and the possible future inclusion of their own drawings and content.

## 7. EVALUATION

The study's goal was to evaluate the continuity of the blended reality character and its potential to engage young children in imaginative play scenarios. The design of the study was based on a classic comparison model.

### 7.1 Experimental conditions

Condition 1: A blended reality scenario in which the child plays with Alhabot (blended reality character) in its environment by exploring the causal effects of placing one of six tangible symbols on the robot and having it physically move into its hutch and watching its virtual representation continue up a hill on the screen in digital space. In this condition we tested 17 children: 11 boys and 6 girls between the ages of 3.5 to 7.

Condition 2: A video-game, virtual scenario of blended reality play with the Alhabot in which the child sits at a desktop computer and plays a symbol-placing game with the Alhabot (screen only) character using a mouse as input. In this condition we tested 17 children: 11 boys and 6 girls between the ages of 3.5 to 7.

The tasks in both conditions were analogous.

### 7.2 Observational methods

Unobtrusive audio/video recording observational methods were used to document each play test. A three-camera setup was used to record: 1. a wide-angle, rear shot, from the point-of-view of the child that framed the entire play scenario 2. a close-up, front shot of the child to enable observation of the child's face and 3. a master shot of the child during the post-play test interview.

### 7.3 Participants

We play tested 34 children three and a half years old to seven years of age. The development of imaginative play in children begins around two and reaches its peak between the ages of five and seven. We therefore designed the study's blended reality play scenario to be age-appropriate for children in that age range [21].

Seventeen children in each condition play tested the system. The



age and gender distribution were evenly matched across both conditions. Children tested in one of the conditions were not permitted to play test the other condition.

#### 7.4 Pre-play test protocol

Upon arrival of the child and their adult guardian or parent to the lab, a research assistant would greet them in the lobby and describe the play test to the parent. Parents were invited to observe the whole experiment but requested to pretend they were busy reading a magazine, in an effort to avoid having the child check in with them or seek their approval during the play test.

#### 7.5 Play test scenario

Each play test lasted approximately ten minutes. During the play test a research assistant would begin by introducing the child to the Alphabot character on-screen (in digital space). The children were then invited to tickle the character by touching the character on the screen with their hands (Condition 1) or with the mouse-pointer (Condition 2). The researcher would model this interaction by tickling the on-screen character causing it to spin around or hop up and down. Following a verbal request for Alphabot to “come out and play,” the character would appear to descend down the virtual hill in the on-screen, digital space and would promptly emerge into the physical space (Condition 1) or the virtual physical space (Condition 2), through the hutch or interreality portal. The character would then move around freely in the physical space stopping in front of the child and symbols spread out on the floor (Condition 1) or on-screen (Condition 2).

The researcher would proceed by demonstrating the process of changing the symbol on the character’s face. In turn, the character would react by moving towards the hutch, the doors would open allowing the character to pass through and the character’s virtual representation would be seen moving up the hill in digital space. Arriving at the top, the character’s symbol would be displayed on its face where the child placed it, and express itself clearly, establishing causality. Throughout the main portion of the play test the child was given the autonomy to play freely and choose any symbol in any order or sequence, imagining the possible outcomes.

As the play test came to an end the sky in the digital space would darken simulating a sunset. The blended reality character would return to the hutch and move up to the hill and the child would be informed that Alphabot was “going to take a nap”.

#### 7.6 Interview protocol

Immediately following the end of the play test, a research assistant would ask the children if they wouldn’t mind answering a couple questions. They would then escort the children out of the space to a separate area with a child-sized table and chairs. The interview questions were structured to be brief, to the point and make use of age-appropriate language.

We also presented the children with a simplistic diagram of the blended reality play space depicting the screen, hutch and physical play space, including the framing of the screen and physical space. Children were asked to point to the location on the diagram in response to various questions. The interviewer coded the children’s responses using a consistent nomenclature scheme across both conditions.


In addition, we asked each child if they wanted to give us any suggestions on how to improve Alphabot. This question also helped us determine their level of engagement and belief in the character.

Finally, we asked them to draw a picture for Alphabot and suggested that we could give it to him. We gave each child space to freely associate and tell us a story (reflecting on their experience).

#### 7.7 Validated evaluation instrument

To help children understand what was expected of them, response options were presented to them in picture form using a Likert-type scale. For our study, we found that the Smiley Face Assessment Scale (SFAS) was a useful, validated evaluation instrument that removed confusion for the child. Explaining the 5-point continuum to the child by pointing at each face and describing them as “very happy, happy... sad,” helped but was often not a requirement to get a clear answer. Hopkins and Stanley have shown that pictorial response scales are sometimes more effective for assessing attitudes, especially for children [10].

#### 7.8 Results



##### 7.8.1 Acceptance of Blended Reality character

Based on experimental results, our findings show that children aged three and a half to seven have accepted the idea of a blended reality character. To assess the character’s continuity from physical space to digital space we asked children to identify the total number of Alphabot characters. Children who believed in the character’s persistence across the blended reality play context were assigned a value of one, whereas those who identified the incorrect number of characters were assigned a zero value. Positive affirmation of the blended reality character’s continuity across multiple forms of media (screen and robotic), also indicates belief in its world as the two are inextricably tied together.

##### 7.8.2 Impact on character engagement and play

To uncover the core differences we studied the post-play test video interviews and tallied the number of children’s responses to the question: “What would you want Alphabot to do?” This helped give us an indication of how deeply engaged they were with the blended-reality character.

Based on the large number of imaginative suggestions received from the children who participated in the blended reality play experience (condition 1) in comparison to the low number of answers in condition 2, we found that the blended reality play experience had a significant impact on children’s post-play test verbal utterances and imaginative suggestions.

Following play tests in the first condition (blended reality play) 87% of the children tested made detailed suggestions on what they would want Alphabot to do, while 13% did not respond. In

comparison, only 3 out of 17 children or 18% of the children who play tested condition 2 (virtual blended reality) replied with imaginative suggestions. Eighty-two percent of the children who did not experience blended reality play with Alphabot abstained from answering the question: “What would you want Alphabot to do?” showing a marked decrease in interest and engagement with the character when confined to the screen.

These results suggest that for the population tested, blended reality play experiences lead to a deeper engagement with a character able to fluidly migrate between a screen and physical reality in the form of a mobile robot in comparison to a strictly screen-based character. Furthermore, providing a blended reality play experience for children between the ages of three and a half and seven results in a notable increase in the number of post-play imaginative suggestions and creative ideation. Additionally, the study revealed a noticeable difference in the imaginative quality of the suggestions in both cases. In the control experiment (condition 2), children suggested that Alphabot should be able to dance and jump more. In condition 1 (blended reality) children also wished that Alphabot could dance and jump, as well as fly, play soccer, be a wind-up jack-in-the-box toy and go upside down. These qualitative differences also indicate deeper engagement with the blended reality character.

### 7.8.3 Situating the character

One of the compelling results the study uncovered in connection with the acceptance of the blended reality character was the children’s views on where the blended reality character lived and played.

Asked to point to a spot in a diagram depicting the entire blended reality play context including the physical space, hutch and digital space, 65% of the children in condition 1 (blended reality) replied that the character lived in digital space and 35% replied that it lived in the hutch. None of the children replied that the character lived in physical space, despite playing with and touching the physical robot.

It is difficult to say whether the children conceived of the hutch as part of physical reality or as a distinct, liminal space between physical reality and the digital space on screen. Interestingly, the responses varied by gender, with the majority of boys (82%) asserting the character lived in digital space whereas the majority of girls (67%) replied that the blended reality character lived in the hutch.

Although almost two-thirds of the children in condition 1 thought the character lived in digital space, fifty percent replied that it played in physical space (with them). The second most common response (31% of the children) held that the character played in digital space. None of the children answered that it played in the hutch. Three of the girls did not answer making a gender comparison, in this case, difficult.

In the control experiment (condition 2: virtual blended reality video game), 65% of the children replied that the character played in digital space while 29% asserted that it played in virtual physical reality. Nine percent answered that it played in the hutch.

One of the boys in condition 2, got up from his chair and looked behind the flat-screen computer monitor when Alphabot went into the digital (screen space) in the game.

Results from this part of the study may prompt further investigation together with a deeper consideration of children’s

spatial reasoning abilities in light of their age and individual developmental stage. Given the unique spatial arrangement that blended reality affords, it may prove fruitful as a medium to explore what Dr. Howard Gardner, founder of the multiple intelligences theory, terms *spatial intelligence* as it emerges in young children [Gar83].

### 7.8.4 Interreality transit

The trend in providing richer detail and more imaginative responses in post-play test interviews of children who experienced blended reality play, in contrast to those who play tested the virtual version (condition 2), prevailed as evidenced by responses to the question: “What happens when Alphabot goes from “here” (pointing at the physical space in the diagram) to “there” (pointing at the digital space)?

In condition 2, children offered unvarnished, factual responses like, “It’s triggered by a symbol” and “He changes himself”. By contrast, blended reality play testers (in condition 1) came up with unexpected and imaginative explanations like, “He takes a train to get from here to there.” Another explained that Alphabot had jumped through and yet another child simply answered, “Noise.” Suffice it to say that making sense of these answers is challenging at best. What is apparent is the change in tonality between the more realistic answers given in condition 2 compared to the more inventive descriptions offered by children who engaged in blended reality play.

### 7.8.5 Symbol use

As an initial step towards a pedagogic use of Alphabot’s symbol system to guide children’s informal learning, we asked them to recall the effect of placing a symbol on the character in both conditions. Sixty-four percent of the interviewed children in both conditions verbally recalled a symbol. Some of the children that did not verbally recall a particular symbol during the interview, drew them when they were given time alone to reflect and draw freely. One child drew the Japanese symbol on Alphabot and added jet packs as well as two letter “P”s, a symbol not found in the play test set. Several children drew alphabots with hearts. Another child drew Alphabot with the number three and yet another with the letter “a”. A four year old girl told us “I hope Alphabot gets to see my picture, I’m drawing alphabets.”

### 7.8.6 Sustained appeal of blended reality play

Despite the relatively short (ten minute) duration of the blended reality scenario tested, several children expressed a desire to continue engaging in the experience. “I want to come back and play with Alphabot,” one child mentioned. Another stated, “I want to play with Alphabot’s friend in Japan”. Children in the control experiment did not express similar wishes. They did not ask to replay the condition 2 video game of virtual blended reality. In comparison, a condition 1 play tester grew impatient with the interview process and asked, “Can we play with Alphabot now?” The long-term appeal of blended reality play is yet to be determined. Initial evidence, however, points towards children’s desire to revisit and extend their play time with Alphabot in blended reality.

### 7.8.7 Children’s drawings

Overall, children drew more pictures following their play experience in condition 1 (blended reality) than after condition 2 (virtual blended reality). In condition 1, children drew the blended reality environment often depicting themselves and the character together. In contrast, in condition 2 children drew the Alphabot character alone and did not draw themselves.

One of the interesting themes that emerged from children's drawings after experiencing condition 1 was the apparent switch or blending of spaces in their illustrations. Hills and flowers that they experienced existing strictly in the digital world were drawn in the representation of the physical space. In one case, a five year-old boy drew the whole blended reality context seemingly from the inside out.

These drawings do call for further analysis by an expert in the field. It is important to note, however, that these drawings should be respected for their own artistic merit and caution should be used when making interpretive assumptions.

## 8. CONCLUSION

The play test study's findings unequivocally demonstrate that young children (3.5 to 7 years old) have accepted blended reality characters and believe in their continuity and persistence across multiple forms of media.

As indicated through interviews and drawings, the play tests reveal significant qualitative and quantitative differences in children's engagement with blended reality characters over strictly screen-based characters. Deeper engagement is indicated by the length of verbal utterances, the more descriptive and imaginative qualities of children's responses to interview questions and the number of drawings produced.

In blended reality, children experience a deeper sense of immersion. The difference in the number of post-play test drawings in which children depicted themselves playing with the character in its blended reality world suggests that children see themselves as co-protagonists, immersed in blended reality play. Belief in the continuity and persistence of the blended reality character seems to be inextricably tied to belief in the persistence of the character's world.

The desire to continue engaging in blended reality play as expressed by children's verbal requests to revisit and extend their play time with the character shows the potential for development of an informal learning platform with sustained appeal to young children.

## 9. ACKNOWLEDGEMENTS

Thank you to all of the members of the Personal Robots Group for their support. Special thanks go to Adam Setapen for designing and fabricating the robot hutch and collaborating with Natalie Freed on the robot control software and embedded code. Additionally, Natalie Freed was instrumental in designing the robot's electronics. Many thanks to Professor Joe Blatt at HGSE and to the students of T-530 and HT-123. Thank you Fardad Faridi for providing beautiful artwork. Finally, thanks to the eval team, Julia Goldstein, Paulina Mustafa, Monica Bueno, parents and children for your trust in this work. The vision and community of the MIT Media Lab made this possible.

## 10. REFERENCES

- [1] Breazeal, Cynthia. *Designing Sociable Robots*. MIT Press, Cambridge, MA, 2002.
- [2] Brosterman, N., *Inventing Kindergarten*. Harry N. Abrams, New York, NY, 2002.
- [3] Edwards, C. et al., *The Hundred Languages of Children – The Reggio Emilia Approach – Advanced Reflections*. Ablex Publishing, Westport, 1998.
- [4] Fisch, S., *Characteristics of effective materials for informal education: A cross-media comparison of television, magazines, and interactive media. of Effective Materials for Informal Education*. MediaKidz Research & Consulting, 2004.
- [5] Ghostwriter Research, *Ghostwriter font study*, (Unpublished research report), Children's Television Workshop, New York, 1992.
- [6] Ginatatus, V. et al., *Experimental evidence for mixed reality states in an interreality system*, Phys. Rev. E 75, 057201, 2007.
- [7] Grey Walter, W., *An Imitation of Life*, Scientific American, 182(5): pp.42-45. 1950.
- [8] Greene, N. *Environment mapping and other applications of world projections*, IEEE Computer Graphics Applications 6, 1986.
- [9] Hirsh-Pasek et al., *A Mandate for Playful Learning in Preschool: Presenting the Evidence*, Oxford University Press, Oxford, UK, 2008.
- [10] Hopkins, K. D., and Stanley, J. C., *Educational and psychological measurement and evaluation* (6th ed.). Englewood Cliffs: Prentice Hall Inc, 1981.
- [11] Huynh, D. et al., *Exploring User Experience in "Blended Reality"*, CHI, Montreal, Canada, 2006.
- [12] Let's Move, [www.letsmove.gov](http://www.letsmove.gov), 2011.
- [13] Locke, J., *Some thoughts concerning education*, In Works of John Locke (Vol. 9), Thomas Tegg, Sharpe and Son, London, 1823.
- [14] Milgram, P. and Kishino, F., *A Taxonomy of Mixed Reality Visual Displays*, IEICE Transactions on Information Systems e 77-D, 1321-1329, Vol 12, 1994.
- [15] *National Toy Hall of Fame*. <http://www.toyhalloffame.org/toys/alphabet-blocks>, 2011.
- [16] Nielsen, A2/M2 *Three Screen Report: Television, Internet and Mobile Usage in the U.S.*, Vol. 5, 2<sup>nd</sup> Quarter, 2009.
- [17] Phasespace, Inc. <http://phasespace.com>, 2011.
- [18] Reeves, B. and Nass, C., *The Media Equation*, CSLI Publications, New York, NY, 1986.
- [19] Robert, D. et al., *Exploring Mixed Reality Robot Gaming*, ACM TEI '11, Madeira, Portugal. 2011.
- [20] Rost, Randi J., *OpenGL Shading Language*, 1st ed., Pearson Education, Inc., 2004.
- [21] Singer, D. and Golinkoff, R. and Hirsh-Pasek, K., *Play = Learning*, Oxford University Press, New York, 2006.
- [22] Thai, A.M. et al., *Game Changer: Investing in digital play to advance children's learning and health*, The Joan Ganz Cooney Center. [www.joanganzcooneycenter.org/publications](http://www.joanganzcooneycenter.org/publications), 2009.
- [23] UN General Assembly, *Convention of the Rights of the Child*, United Nations, Treaty Series, Vol. 1577, p.3, 1989.
- [24] Wistort, R., *TofuDraw: Choreographing Robot Behavior through Digital Painting*, MIT Media Lab Ms Thesis, 2010.